

REFERENCES

- [1] Y. Babichenko, S. Barman, and R. Peretz. 2014. Simple approximate equilibria in large games. In *EC'14*. ACM, Association for Computing Machinery, New York, NY, United States, 753–770.
- [2] K. Berg and T. Sandholm. 2017. Exclusion method for finding Nash equilibrium in multiplayer games. In *AAAI'17*. AAAI Press, Palo Alto, CA, United States.
- [3] B. Blum, D. Koller, and C.R. Shelton. 2006. A Continuation Method for Nash Equilibria in Structured Games. *Journal of Artificial Intelligence Research* 25 (2006), 457–502.
- [4] J. H. Conway and R. K. Guy. 1996. *The Book of Numbers*. Springer-Verlag, New York, Chapter Algebraic Numbers, 189–190.
- [5] D.A. Cox, J.B. Little, and D. O'Shea. 2015. *Ideals, Varieties, and Algorithms* (4 ed.). Springer, New York.
- [6] R.S. Datta. 2010. Finding all Nash equilibria of a finite game using polynomial algebra. *Economics Theory* 42 (2010), 55–96.
- [7] A. Dickstein, N. Fitchas, M. Giusti, and C. Sessa. 1991. The membership problem for unmixed polynomial ideals is solvable in single exponential time. *Discrete Applied Mathematics* 33, 1 (1991), 73–94.
- [8] J. Filar and K. Vrieze. 1997. *Competitive Markov Decision Processes*. Springer-Verlag, New York.
- [9] Itzhak Gilboa, Ehud Kalai, and Eitan Zemel. 1989. The Complexity of Eliminating Dominated Strategies. *Mathematics of Operations Research* 18 (10 1989).
- [10] S. Govindan and R. Wilson. 2003. A Global Newton Method to Compute Nash Equilibria. *Journal of Economic Theory* 110, 1 (2003), 65–86.
- [11] S. Govindan and R. Wilson. 2004. Computing Nash Equilibria by Iterated Polymatrix Approximation. *Journal of Economic Dynamics and Control* 28, 7 (2004), 1229–1241.
- [12] J.C. Harsanyi. 1967. Games with incomplete information played by "Bayesian" players, I–III Part I. The basic model. *Management science* 14, 3 (1967), 159–182.
- [13] J.J. Herings and R. Peeters. 2010. Homotopy methods to compute equilibria in game theory. *Economic Theory* 42 (2010), 119–156.
- [14] J.T. Howson. 1972. Equilibria of polymatrix games. *Management Science* 18, 5-part-1 (1972), 312–318.
- [15] Joseph T Howson and Robert W Rosenthal. 1974. Bayesian equilibria of finite two-person games with incomplete information. *Management Science* 21, 3 (1974), 313–315.
- [16] M. Kearns, M.L. Littman, and S. Singh. 2001. Graphical Models for Game Theory. *Proceedings of the 17th Conference in Uncertainty in Artificial Intelligence (UAI'01)* 1 (2001), 253–260.
- [17] C.E. Lemke and J.T. Howson. 1964. Equilibrium points of bimatrix games. *Journal of the Society for industrial and Applied Mathematics* 12, 2 (1964), 413–423.
- [18] R.J. Lipton, E. Markakis, and A. Mehta. 2003. Playing large games using simple strategies. In *EC'03*. ACM, Association for Computing Machinery, New York, NY, United States, 36–41.
- [19] E. W. Mayr. 1997. Some Complexity Results for Polynomial Ideals. *Journal of Complexity* 13, 3 (1997), 303–325.
- [20] C.H. Papadimitriou and T. Roughgarden. 2008. Computing correlated equilibria in multi-player games. *Journal of the ACM (JACM)* 55, 3 (2008), 14.
- [21] R. Porter, E. Nudelman, and Y. Shoham. 2008. Simple search methods for finding a Nash equilibrium. *Games and Economic Behavior* 63, 2 (2008), 664–669.
- [22] B. von Stengel. 2002. Computing equilibria for two-person games. In *Handbook of Game Theory with Economic Applications*, R. J. Auman and S. Hart (Eds.). Vol. 3. Elsevier, Amsterdam, Chapter 45, 1723–1759.
- [23] R. Wilson. 1971. Computing equilibria of N-person games. *SIAM J. Appl. Math.* 21, 1 (1971), 80–87.
- [24] E.B. Yanovskaya. 1968. Equilibrium points in polymatrix games. *Litovskii Matematicheskii Sbornik* 8 (1968), 381–384.