

Improved EFX Approximation Guarantees under Ordinal-based Assumptions

Evangelos Markakis

Athens University of Economics and Business
and Input Output Global (IOG)
Athens, Greece
markakis@gmail.com

Christodoulos Santorinaios

Athens University of Economics and Business
and Archimedes Research Unit
Athens, Greece
santgchr@gmail.com

ABSTRACT

Our work studies the fair allocation of indivisible items to a set of agents, and falls within the scope of establishing improved approximation guarantees. It is well known by now that the classic solution concepts in fair division, such as envy-freeness and proportionality, fail to exist in the presence of indivisible items. Unfortunately, the lack of existence remains unresolved even for some relaxations of envy-freeness, and most notably for the notion of EFX, which has attracted significant attention in the relevant literature. This in turn has motivated the quest for approximation algorithms, resulting in the currently best known $(\phi - 1)$ -approximation guarantee by [5], where ϕ equals the golden ratio. So far, it has been notoriously hard to obtain any further advancements beyond this factor. Our main contribution is that we achieve better approximations, for certain special cases, where the agents agree on their perception of some items in terms of their worth. In particular, we first provide an algorithm with a $2/3$ -approximation, when the agents agree on what are the top n items (but not necessarily on their exact ranking), with n being the number of agents. To do so, we also propose a general framework that can be of independent interest for obtaining further guarantees. Secondly, we establish the existence of exact EFX allocations in a different scenario, where the agents view the items as split into tiers w.r.t. their value, and they agree on which items belong to each tier. Overall, our results provide evidence that improved guarantees can still be possible by exploiting ordinal information of the valuations.

KEYWORDS

Fair division; EFX; Approximation algorithms

ACM Reference Format:

Evangelos Markakis and Christodoulos Santorinaios. 2023. Improved EFX Approximation Guarantees under Ordinal-based Assumptions. In *Proc. of the 22nd International Conference on Autonomous Agents and Multiagent Systems (AAMAS 2023)*, London, United Kingdom, May 29 – June 2, 2023, IFAAMAS, 9 pages.

1 INTRODUCTION

Our work follows the ongoing line of research on fair division with indivisibilities. During the last decade, we have experienced a surge of interest in defining new fairness notions, tailored for allocating a set of indivisible items to a set of agents. This effort has been largely motivated by the realization that the more traditional

solution concepts, such as envy-freeness or proportionality are too demanding and fail to exist for the discrete setting.

As a result, there are by now several relaxations that try to incorporate different fairness aspects. In this work we are particularly interested in the relaxation referred to as EFX (envy-freeness up to any item), but we will also discuss and utilize results for a weaker variant referred to as EF1 (envy-freeness up to one item). The notion of an EFX allocation was defined in [13] and demands that an agent i stops being envious of another agent j , if at most one item was to be removed from the bundle of agent j .

Over the last years, the question of finding EFX allocations has become one of the most important open problems in fair division [22]. Despite the effort and interest of the community, we are still not aware if EFX allocations exist for instances with at least 4 agents. Naturally, this also led to the study of approximation algorithms, which brought forward further insights. But unfortunately, even on this front, it is still unresolved to identify what is the best approximation guarantee that we can have. At the moment, the best known algorithm is by [5], producing in worst case a 0.618 -EFX allocation, and ideally, it would be very desirable to improve this to a factor as close to 1 as possible.

Driven by these considerations and the difficulty of the problem in its general case, our main focus is to identify conditions under which we can obtain improved approximation guarantees or even exact EFX allocations. We are particularly motivated by a positive result established in [21], that EFX allocations exist and can be computed efficiently, when all the agents agree on how the items are ranked w.r.t. their value (the agents can have different additive valuation functions, only agreement on the ranking is required). Such instances can be justified as capturing scenarios where all the items are perceived in a similar way by all agents. Although it may seem too strict that the ranking should be exactly the same for all agents and over all the items, this is one of the few positive results that are known on the existence of EFX allocations, and to our surprise, no further progress has been reported if the condition is even minimally violated.

1.1 Contribution

We investigate the direction of obtaining further positive results for larger families of instances, by considering relaxations of the *common ranking* assumption of [21]. To this end, we investigate two possible such weakenings. Our first main result (Section 3.2) is that for instances with m items and n agents, we provide an algorithm with a $2/3$ -approximation guarantee, when the set of the top n items is the same for every agent (they do not have to agree on their ranking for them, and we also impose no assumption on

Proc. of the 22nd International Conference on Autonomous Agents and Multiagent Systems (AAMAS 2023), A. Ricci, W. Yeoh, N. Agmon, B. An (eds.), May 29 – June 2, 2023, London, United Kingdom. © 2023 International Foundation for Autonomous Agents and Multiagent Systems (www.ifaamas.org). All rights reserved.

the remaining $m - n$ items). This improves the currently known 0.618-approximation for these instances and is particularly useful for cases with a small number of agents, where it can often be the case that they agree on the set of top-tier items. To prove our result, we propose a general framework that is of independent interest for obtaining approximation guarantees. We demonstrate (in Section 3.3) that indeed, via this framework, we can reprove some already existing results in the literature and also attain further improvements, when agents have additional agreements on the ranking of items. This reveals a smooth degrading of the approximation factor as agents get to have fewer agreements on how they rank the items. Moving on, in Section 4, we obtain a better guarantee by looking at a different relaxation of the common ranking assumption. Namely, we establish the existence and efficient computation of exact EFX allocations in the scenario where the agents view the items as grouped into tiers of size at most three w.r.t. their value, and they agree on the items that belong to each tier. Each tier can be thought of as a different quality/desirability level and the agents in this setting have a common perception on classifying the items to these levels. We note that our proof holds for the more general family of cancelable valuation functions, an interesting superclass of additive functions. Finally, this result also contributes to ruling out instances for constructing potential counterexamples to the non-existence of EFX allocations (which is an ongoing pursuit for the EFX concept).

1.2 Related work

The first direct relaxation of envy freeness tailored for indivisible items, was the notion of envy freeness up to 1 good (EF1). Formally it was introduced by Budish in [11], while implicitly considered also in [18]. Later on, Caragiannis et al. defined the stronger notion of envy freeness up to any good (EFX), in [13]. The first positive result in the pursuit of exact EFX allocations, was due to Plaut and Roughgarden, [21], where the existence of such allocations was proved in the case that all agents have identical valuation functions. Making progress even for a small number of agents turned out to be highly non trivial with the currently best result being the existence of EFX allocations for 3 agents with additive valuations, by Chaudhury et al., [15].

Plaut and Roughgarden also investigated two other ways to attack the problem. The first one was a definition of a multiplicative approximation version of EFX, for which they provided a non-polynomial algorithm with a guarantee of $1/2$. The same ratio was later attained efficiently in [14], and currently, the state of the art approximation is $\phi - 1 \approx 0.618$, in [5]. The second contribution of Plaut and Roughgarden was a polynomial time algorithm for additive valuations under the restricted setting where agents rank all the items in the same way. After this, exact EFX allocations have also been shown to exist in a variety of other special cases: for additive binary valuations in [1], for dichotomous preferences and submodular valuations in [7], for two-valued instances and bounded value instances in [3], and when all agents have one of two possible valuation functions in [19].

An alternative approach to the problem was initiated in [12] where EFX allocations (with high Nash welfare) were shown to exist when some items may be unallocated; giving birth to EFX

with charity. Subsequent work by Chaudhury et al., [17], proved the existence of EFX allocations with bounded charity, i.e., the number of donated items is no more than $n - 1$. The bound was improved in [19] to $n - 2$, while approximate EFX allocations with sublinear charity was the focus of [16]. In that work a connection between the size of the charity and a problem in extremal combinatorics was shown; the second problem was studied outside the context of Fair Division in [9], [2] and [20]. Finally, Berger et al., [10], proved that for the special case of 4 agents, an EFX allocation with at most one unallocated item exists, even for a broader class than the case of additive valuation functions.

Apart from the notions of EF1 and EFX, there have been already several other fairness concepts that have been proposed, such as the notions of Maximin, Pairwise, and Groupwise Share fairness (MMS, PMMS and GMMS, introduced respectively in [11], [13] and [8]). For an overview of these notions, we refer the reader to [4], [6] and the references therein.

2 MODEL AND PRELIMINARIES

We consider a set of agents, $N = \{1, \dots, n\}$ and a set M of m indivisible items. Each agent $i \in N$ is associated with a valuation function v_i , which is assumed to be monotone and nonnegative (i.e., we do not allow for chores). An allocation \mathcal{A} is any valid ordered partition of M into n subsets, $\mathcal{A} = (A_1, \dots, A_n)$, where A_i is the bundle of agent i . The goal is to compute an allocation that satisfies some desirable fairness criteria.

2.1 Basic definitions

Our first set of results in Section 3 concerns *additive* valuation functions, which is a typical assumption made in the fair division literature. A valuation is additive if every agent i associates a value v_{ij} with each item $j \in M$, and the total value of i for a subset $S \subseteq M$ is given by $v_i(S) = \sum_{j \in S} v_{ij}$. Later in Section 4, we will also define and study generalizations to richer valuations. For ease of notation, we will use g for a singleton set $\{g\}$, so that, e.g., $v_i(g) = v_i(\{g\})$.

Given an input profile, described by the valuation functions of the agents, an ideal solution is to allocate the items so that no one envies someone else's bundle.

Definition 2.1 (Envy freeness-EF). An allocation \mathcal{A} is envy free (EF) if for every pair of agents i, j , it holds that $v_i(A_i) \geq v_i(A_j)$.

Envy freeness turns out to be too strict for indivisible items, and therefore several relaxations have been considered as alternative solutions. The first such relaxation is the notion of EF1, due to Budish, [11].

Definition 2.2 (EF1). An allocation \mathcal{A} is envy free up to one good (EF1) if for every pair of agents i, j , there exists a good $g \in A_j$, such that $v_i(A_i) \geq v_i(A_j \setminus g)$.

The intuition behind EF1 allocations is that the agents cannot be too envious, in the sense that there always exists a single item whose removal can eliminate envy from one agent to another. This is an efficiently computable fairness notion, as demonstrated in the next subsection. Towards coming closer to envy-freeness, Caragiannis et al., [13], defined a stronger notion (but still a weakening of EF), which is also the notion of interest for our work. The difference w.r.t.

EF1 is the switch of the quantifiers, so that envy can be eliminated by the removal of any single item.

Definition 2.3 (EFX). An allocation \mathcal{A} is envy free up to any good (EFX) if for every pair of agents i, j , and for every $g \in A_j$, it holds that $v_i(A_i) \geq v_i(A_j \setminus g)$.

EFX allocations have turned out to be much harder to compute. As a result, approximate versions of EFX have also received considerable attention. Although there are multiple ways of defining an approximation notion, we will stick to the multiplicative version, as studied in previous works as well:

Definition 2.4 (α -EFX). An allocation \mathcal{A} is α -EFX, for $\alpha \in [0, 1]$, if for every pair of agents i, j , and for every $g \in A_j$, it holds that $v_i(A_i) \geq \alpha \cdot v_i(A_j \setminus g)$.

Hence, our goal is to obtain α -EFX allocations, with α as close to 1 as possible. Furthermore, in the same manner one can also define approximate versions for other concepts (e.g. α -EF). For further illustrations and examples on these concepts, we also refer the reader to [4].

2.2 Envy cycle elimination

In the sequel we will use as a building block, a well-known algorithm, which we will refer to as Envy Cycle Elimination (ECE). Introduced in [18], it computes an EF1 allocation in polynomial time, even for general valuations. The algorithm uses a graph-theoretic approach, where each agent is viewed as a node, and where envy from an agent i towards an agent j corresponds to the directed edge (i, j) . Hence, any allocation (not necessarily of the whole set of goods), can be represented by the corresponding directed graph, referred to as the envy graph of the allocation and denoted by E_G . The algorithm starts from the empty allocation and allocates one item per round. In each round, if there exists an unenvied agent i in the current allocation, then she can receive the next item without violating the EF1 property. If no such agent exists, then any agent in E_G has an incoming edge, meaning that the graph contains at least one directed cycle in the form $i_1 \rightarrow i_2 \rightarrow \dots \rightarrow i_1$. Reallocating the bundles backwards along the cycle, i.e., agent j would receive A_{j+1} , removes some envy edges, and by repeating the process enough times, we can eliminate all cycles and leave some agent without an incoming edge. This would be the agent to receive the item of the current round (breaking ties arbitrarily if there are multiple such agents). The formal description of the algorithm follows.

Algorithm 1 Envy Cycle Elimination(\mathcal{N}, \mathcal{M})

- 1: Set $A_i = \emptyset$ for every agent i
 - 2: **while** \exists some unallocated item g **do**
 - 3: Pick some source agent s (guaranteed to exist, break ties arbitrarily)
 - 4: Set $A_s = A_s \cup \{g\}$
 - 5: Decycle the envy graph by repeatedly finding envy cycles and reallocating backwards the bundles along each cycle
 - 6: **end while**
 - 7: **return** $\mathcal{A} = (A_1, \dots, A_n)$
-

THEOREM 2.5 (IMPLIED BY [18]). *Algorithm 1 computes an EF1 allocation in polynomial time.*

At this point, we should note that in the original version in [18], it suffices to execute the decycling step in line 5, until we obtain at least one source agent (with no incoming edges), to maintain the EF1 property. For our purposes, it is convenient to eliminate all cycles, and maintain the invariant that E_G is a DAG (Directed Acyclic Graph) at the end of each round. We will discuss more about the source agents of E_G in Section 4.

3 AGREEMENT ON TOP ITEMS

In this section, we will focus on additive valuations and on extending the positive result of Plaut and Roughgarden, [21], regarding the existence of EFX allocations, when the agents share a common ranking over the items. A natural path to follow is to study instances where this assumption is somewhat relaxed (e.g., truncated to apply only to a few items). Although our results do not guarantee existence of exact EFX allocations, we do obtain improved approximation guarantees compared to the state of the art for some of these instances, and our general aim is to study the tradeoff between the approximation ratio and the extent of departure from the common ranking assumption over all items.

3.1 General approximation framework

Before addressing our main goal, we will first introduce a framework for producing approximation algorithms. This framework serves both as a unifying umbrella for some of the already existing results, but also helps us in establishing our improvements. We stress that from now on, we will assume that $m > n$, since otherwise, there exists a trivial exact EFX allocation, where each agent receives at most one item.

We start with a few observations to develop some intuition. Consider a variation of the ECE algorithm, where during the first n rounds, every time we select a source agent to allocate the next item to, we actually let her pick her favorite one, among the unallocated items. Assume also, we select a distinct agent in each of these first n rounds. The remainder of the ECE algorithm can run as presented in the previous section. Interestingly, Algorithm 2 of [14] achieves a $1/2$ -EFX approximation by essentially doing this, even though its first phase may look unrelated to ECE¹. It is instructive to present the proof below under this viewpoint, for the sake of completeness, and for motivating the more general framework that we want to exploit in the sequel.

THEOREM 3.1 (IMPLIED BY [14]). *The Envy Cycle Elimination algorithm computes a $1/2$ -EFX allocation when in each of the first n rounds, the source agent (selected in line 3) is granted the right to choose her favorite unallocated item.*

PROOF. Consider two agents i and j and let A_i, A_j , be the final bundles allocated to these agents at the end of the algorithm. We will prove that i satisfies the EFX condition w.r.t. j . Let g_i be the first item that was allocated to agent i . Since the ECE algorithm never decreases the valuation of any agent during its rounds, we have that $v_i(A_i) \geq v_i(g_i)$. Also, let h be the last item that was added to the bundle A_j of agent j . We know that when h was added, the owner of

¹The algorithm of [14] was developed with a different fairness notion in mind and uses perfect matchings, with the first one corresponding to the right of choice in the first n rounds of ECE.

the bundle $A_j \setminus h$ at that time, was unenvied, thus $v_i(A_i) \geq v_i(A_j \setminus h)$. Moving on, if A_j contains only h , then i trivially satisfies the EFX condition w.r.t. j . Hence, suppose $|A_j| \geq 2$, which means that h was picked after the n -th round. Then, from the definition of g_i , it follows $v_i(h) \leq v_i(g_i) \leq v_i(A_i)$. Adding the two inequalities for $v_i(A_i)$, yields $2v_i(A_i) \geq v_i(A_j)$. \square

We note that the previous result actually produces a $1/2$ -EFX allocation when $m > n$, hence, an even better guarantee than $1/2$ -EFX. A crucial observation arising from this proof is that the more times an agent i gets to pick an item before becoming envious of another agent, the better the approximation. In particular, we used in the proof of Theorem 3.1 the inequality $v_i(A_i) \geq v_i(h)$, but if i had picked an item k times during the execution of ECE, and before the addition of h to the bundle A_j , we could replace this with: $v_i(A_i) \geq k \cdot v_i(h)$. And this would lead to a $\frac{k}{k+1}$ -EFX approximation. Although it may not always be easy to enforce such a property, it still yields an approach for obtaining approximation guarantees for certain families of instances, as we shall see. In fact, all we need is to be able to produce first a partial EFX allocation of some items, that satisfies such a property for every agent. We can now formally put everything together and have the following scheme.

Algorithm 2 General approximation framework

- 1: For $\alpha, \beta > 0$, compute a partial α -EFX allocation $\mathcal{S} = (S_1, \dots, S_n)$, with the property that

$$v_i(S_i) \geq \beta \cdot v_i(h) \text{ for all } i \in N \text{ and all } h \in M \setminus \bigcup_{j \in N} S_j$$

- 2: Continue with running the ECE algorithm, until there are no unallocated items
-

THEOREM 3.2 (APPROXIMATION FRAMEWORK). *Algorithm 2 computes a $\min\left(\alpha, \frac{\beta}{\beta+1}\right)$ -EFX allocation. Moreover, if the partial allocation \mathcal{S} is γ -EF1 for some $\gamma \leq 1$, or if it can be computed efficiently, the same properties carry over for the final allocation as well.*

PROOF. Let $\mathcal{A} = (A_1, \dots, A_n)$ denote the final output of the algorithm and fix an agent i . As a first case, consider an agent j , who receives as her final bundle, one of the bundles of the allocation \mathcal{S} , say S_j . Then, we know that $v_i(A_i) \geq v_i(S_i)$, and since \mathcal{S} was an α -EFX allocation, agent i satisfies the α -EFX condition towards agent j . For the second case, consider an agent j , so that A_j is a strict superset of some bundle of \mathcal{S} . Let h be the last item added to A_j by the algorithm. This means that the owner of the bundle $A_j \setminus h$, right before h was allocated, was unenvied. Hence, if B_i was the bundle owned by i at that time, we have that $v_i(B_i) \geq v_i(A_j \setminus h)$. Moreover, we also know by the algorithm construction that $v_i(B_i) \geq v_i(S_i) \geq \beta \cdot v_i(h)$. Multiplying the first inequality by β and adding it to the second yields

$$(\beta + 1)v_i(B_i) \geq \beta v_i(A_j) \Rightarrow v_i(B_i) \geq \frac{\beta}{\beta + 1} v_i(A_j)$$

The same inequality holds for the bundle A_i too, since the ECE algorithm never makes an agent worse. Thus, i satisfies the $\frac{\beta}{\beta+1}$ -EFX condition, which implies the same for EFX as well. Combining the two cases completes the proof. \square

For an immediate illustration, the proof of Theorem 3.1 corresponds to applying the framework with $\alpha = 1$ and $\beta = 1$. We note also that all the results presented in the next subsections, satisfy EF1 exactly (Theorem 3.2 applies with $\gamma = 1$), and we will therefore focus only on the achieved EFX approximation.

3.2 An algorithm under a common top- n set

Suppose that the agents have additive valuations, and they agree on which are the n most favorable items, without necessarily agreeing on their ranking w.r.t. their value². A simple thought to achieve a $2/3$ approximation is by trying to apply the framework of the previous subsection, with $\alpha = 2/3$ and $\beta = 2$. Before presenting our algorithm, we provide first some initial ideas and intuition. To achieve $\beta = 2$ for a partial allocation, it is natural to consider allocating first 2 items per agent. This could be done by allocating the first n items in a round robin fashion, and then use the reverse order of round robin for agents to select a second item. Each agent will indeed prefer each of her two items to any unallocated one, thus we can guarantee that $\beta = 2$ in the conditions of Theorem 3.2. Unfortunately though, this partial allocation may not be $2/3$ -EFX and hence we cannot use our framework for analyzing it. A violation of this property means that for some pair of agents i, j , it holds $v_i(S_i) < 2/3 \cdot v_i(S_j \setminus g)$. Our algorithm is built on exploiting that information, and on constructing a more careful partial allocation; some agents will receive only one item (they will be content with one item from the top- n set) whereas the remaining ones will receive two items (one of which will again be from the top- n set).

Algorithm 3 $2/3$ EFX for identical top- n set

- 1: Let $M = T \cup B$, where T is the set of the n most valuable items and B consists of the remaining $m - n$ items
 - 2: **for** each agent i **do**
 - 3: $h_i = \arg \max_{m \in T} v_i(m)$
 - 4: $g_{1,i} = \arg \min_{m \in T} v_i(m)$
 - 5: $g_{2,i} = \arg \max_{m \in B} v_i(m)$
 - 6: **if** $v_i(g_{1,i}) + v_i(g_{2,i}) \geq \frac{2}{3} \cdot v_i(h_i)$ **then**
 - 7: $A_i = \{g_{2,i}\}$ (non-content agent)
 - 8: $B = B \setminus g_{2,i}$
 - 9: **else**
 - 10: $A_i = \{h_i\}$ (content agent)
 - 11: $T = T \setminus h_i$
 - 12: **end if**
 - 13: **end for**
 - 14: For every non-content agent, allocate to her one item arbitrarily from T
 - 15: Continue with running the ECE algorithm
-

THEOREM 3.3. *Algorithm 3 efficiently computes a $2/3$ -EFX allocation, when the agents agree upon the set of top n items.*

PROOF. We will discern two cases based on whether an agent was content or not, as determined by the condition in line 6. Before

²Existence of possible ties with the remaining $m - n$ items does not affect our result.

proceeding, note that all the items in T will eventually get allocated. Every content agent gets one item from T in line 10. And then, there will be as many left-over items of T as the number of non-content agents, and each of them receives one such item in line 14.

To prove our result using the framework of Theorem 3.2, we will establish the desired properties for $\alpha = 2/3$ and $\beta = 2$. To be more precise, let $S = (S_1, \dots, S_n)$ be the partial allocation produced up until the execution of line 14 of the algorithm, and let M' denote the set of unallocated items at that time. By Theorem 3.2, it suffices to establish that right before the execution of the ECE algorithm, S is a $2/3$ -EFX allocation, and that also $v_i(S_i) \geq 2v_i(m)$ for any $m \in M'$ and every $i \in N$.

Fix an agent i and for simplicity in the analysis, we will drop the subscript i and use h instead of h_i and so on. We have the following two cases.

Case 1: $v_i(g_1) + v_i(g_2) < \frac{2}{3} \cdot v_i(h)$ (agent i is content).

We have that agent i receives exactly one item in the allocation S , $S_i = \{h\}$, thus every other agent satisfies the EFX condition towards her. At the same time, i also satisfies the EFX condition towards agents with one item. Hence consider an agent j having obtained two items. We know that i has received her favorite remaining item from T in line 10, therefore she cannot envy the item of T that was received by j in line 14. Agent i also cannot envy the other item of j since it belongs to B and is not more valuable than the items of T . In conclusion, agent i satisfies the EFX condition towards all other agents under allocation S . Moreover, it holds that

$$v_i(g_1) + v_i(g_2) \geq 2 \cdot v_i(g_2) \implies v_i(g_2) \leq \frac{1}{3} \cdot v_i(h)$$

And by the definition of g_2

$$v_i(h) \geq 3 \cdot v_i(m) \quad \forall m \in M'$$

Thus all conditions of Theorem 3.2 that concern agent i are satisfied.

Case 2: $v_i(g_1) + v_i(g_2) \geq \frac{2}{3} \cdot v_i(h)$ (non-content agent i).

Now agent i will receive initially the item g_2 from B , and later, in line 14, she will receive an item from T , which we will denote by h' . Since g_1 was the least valued top item for i , it follows that $v_i(h') \geq v_i(g_1)$. Therefore, the bundle of i , $S_i = \{h', g_2\}$, is at least as valuable as $\{g_1, g_2\}$, and thus $v_i(S_i) \geq \frac{2}{3} \cdot v_i(h)$. Similar to Case 1, it suffices to check the envy of i towards any agent j receiving two items. As in Case 1, the item h has to be more valuable than any of the two items received by j . Thus, for any $g \in S_j$,

$$v_i(S_j \setminus g) \leq v_i(h) \implies v_i(S_i) \geq \frac{2}{3} \cdot v_i(S_j \setminus g)$$

meaning that i satisfies $2/3$ -EFX towards j . Finally,

$$v_i(S_i) \geq 2 \cdot v_i(g_2) \geq 2 \cdot v_i(m) \quad \forall m \in M'$$

Thus the conditions of Theorem 3.2 are again satisfied.

Putting everything together, the partial allocation after line 14 is at worst $2/3$ -EFX. Also, for every agent i and every unallocated good m , it holds that $v_i(A_i) \geq 2 \cdot v_i(m)$, and the proof is completed. \square

3.3 Other applications of the framework

We close this section by presenting some more straightforward applications of our framework based on other classes of restricted scenarios, generalizing some results from the existing literature.

COROLLARY 3.4 (RELAXED TOP RANKING). *Assume that for some $\ell \leq m$, all agents agree not only on the set of the top ℓ items, but also on their order w.r.t. their value. Then one can efficiently compute a $\frac{k}{k+1}$ -EFX allocation, with $k = \lfloor \ell/n \rfloor$.*

PROOF. Given ℓ , we know that a partial EFX allocation for the top ℓ items can be computed efficiently by [21], due to the identical ranking assumption for them. Hence, we can achieve $\alpha = 1$ in our framework. It suffices to establish Theorem 3.2, with $\beta = k = \lfloor \ell/n \rfloor$. Let $S = (S_1, \dots, S_n)$ be the allocation of the top ℓ items. Note that for each agent with a bundle of size no less than k , the relation we want follows directly due to additivity. Assuming that some agent i has less than k items, then by the pigeonhole principle, some other agent j has more than k items. Since the allocation S is EFX, $v_i(S_i) \geq v_i(S_j \setminus g)$ for any $g \in S_j$. But now, the bundle in the right hand side is of size at least k and again the relation we want regarding the unallocated items follows. \square

The above result captures the trade-off between the achievable approximation ratio and the degree of agreement on the ranking of the top items: for every additional group of n items that the agents agree upon, the approximation ratio improves. Also, it demonstrates that different applications of the framework for the same setting can yield suboptimal results; for $k = 1$ ($\ell = n$), the above corollary yields a $1/2$ ratio, whereas we know that we can get a better approximation by the previous subsection, using different values for α and β .

The next corollary combines the approximation framework with an algorithm presented in [3], that computes an exact EFX allocation when all agents value all items within a bounded interval of the form $[x, 2x]$. We can obtain the following generalization of [3].

COROLLARY 3.5 (RELAXED BOUNDED INTERVAL). *Assuming that all agents value their top ℓ items within an interval of the form $[x, 2x]$, then one can efficiently compute a $\frac{k}{k+1}$ -EFX allocation with $k = \lfloor \ell/n \rfloor$.*

PROOF. The proof is identical with that of Corollary 3.4 except that S is constructed via the Modified Round Robin algorithm of [3]. \square

Finally, we also present a result in the opposite direction, where we assume full disagreement among the agents on top items. Our framework can help us in improving the state of the art and obtain a $2/3$ -approximation in the following case.

COROLLARY 3.6 (DISTINCT TOP ITEMS). *Assuming that each agent i has a different favorite good f_i , then a $2/3$ -EFX allocation can be computed efficiently.*

PROOF. We construct a partial EFX allocation S as follows: we first let each agent get her favorite item, f_i , and then run n rounds of the ECE algorithm, to allocate n more items, but as in Theorem 3.1, we grant each agent the right to choose her favorite unallocated item, say g_i , when selected as the unenvied agent. Therefore, in the produced partial allocation S , we have that $S_i = \{f_i, g_i\}$. Then

$$v_i(S_i) \geq v_i(f_i) \geq v_i(S_j \setminus g) \quad \forall g \in S_j$$

where the last inequality is due to the fact that $S_j \setminus g$ is a singleton set and f_i is the best item according to i . Hence, S is a partial EFX allocation ($\alpha = 1$). Proving that Theorem 3.2 is satisfied with $\beta = 2$ is identical to Case 2 in the proof of Theorem 3.3. \square

4 TIERED RANKINGS AND FURTHER IMPROVEMENTS

Our second main result concerns the existence of exact EFX allocations. Following the spirit of the previous results, one can ask if we can prove even better results, when the agreement between agents goes on beyond the first tier of most valuable items. Keeping in mind that we are also interested in relaxations of the common ranking assumption over all items, studied in [21], a natural approach is to consider scenarios where the goods can be split into tiers w.r.t. their value. This leads to the following definition.

Definition 4.1. An instance of our problem has a common *tiered ranking* among all agents, if there exists an ordered partition of all items $M = (M_1, M_2, \dots, M_\ell)$, such that for every agent i ,

$$\forall g \in M_k, \forall h \in M_{j>k} : v_i(g) \geq v_i(h)$$

Moreover, we define the size of the tiered ranking to be the size of the largest tier, i.e., $\max_{j \in [\ell]} |M_j|$.

Under the prism of tiers, the identical ranking setting can be viewed as a tiered ranking of size 1. We will study such instances, under a more general family of valuation functions, defined below.

Definition 4.2 (Definition 2.1 in [10]). A valuation function v is cancelable if for any bundles $S, T \subset M$, and item $g \in M \setminus (S \cup T)$, it holds that

$$v(S \cup g) > v(T \cup g) \implies v(S) > v(T)$$

Clearly, cancelable valuations include additive ones and are monotone (as we have no chores). Moreover, they include other well known classes, such as multiplicative and unit-demand valuations (see [10]). So far, there are several results for additive valuations that have been shown to carry over to cancelable functions as well, making this class a natural generalization of additivity (this is not applicable for our results in Section 3 however). In the following theorem, we assume at least 3 agents, since the existence for 2 agents is already well known.

THEOREM 4.3. *Assuming $n \geq 3$, and that the agents have cancelable valuations with a common tiered ranking of size at most 3, then an EFX allocation exists and can be computed efficiently.*

We stress that although the assumption of tiers with up to three items may look like a simple relaxation of the common ranking assumption over all items, the proof turns out to be much more involved, than the existence result of [21]. To proceed, we state the following simple lemma on cancelable valuations, that we will use.

LEMMA 4.4. *Let S, T, Q and R be sets such that $S \cap Q = \emptyset$, and $T \cap R = \emptyset$. Then, for a cancelable valuation function v ,*

$$\left. \begin{array}{l} v(S) \geq v(T) \\ v(Q) \geq v(R) \end{array} \right\} \implies v(S \cup Q) \geq v(T \cup R)$$

PROOF. In the definition of cancelable valuations, it is easy to see that one direction implies the opposite: $v(T) \leq v(S) \implies v(T \cup g) \leq v(S \cup g)$. Applying this for every $g \in Q \setminus T$ gives

$$v(T \cup Q) = v(T \cup (Q \setminus T)) \leq v(S \cup (Q \setminus T)) \leq v(S \cup Q)$$

where the last inequality is due to monotonicity. Similarly we obtain $v(Q \cup T) \geq v(R \cup T)$, and the lemma follows. \square

PROOF OF THEOREM 4.3. Under our assumption, we can partition the items into tiers so that all agents have preferences in the following form:

$$M_1 \geq M_2 \geq \dots \geq M_s$$

where each M_i is a set of items with $|M_i| \leq 3$, and the notation $M_i \geq M_j$ means that all the agents find the items of M_i at least as valuable as those of M_j . We note that within a tier, it is not necessary that all agents rank the items in the same way. Also, some of the tiers may only contain just one or two items.

To prove the theorem, we need to establish that for any ordered pair of agents (i, j) , agent i satisfies the EFX condition towards j . For convenience in the analysis, whenever this is violated, we will say that agent i *strongly envies* agent j .

We will prove the theorem by induction on the number of tiers. We present the proof here only for the case where each tier has exactly 3 items, since the other cases are easier. Note that the basis of our induction, allocating the first triplet, is easy: just give a single item to three different agents, and this is trivially EFX. For the inductive step, assume that we have a partial EFX allocation after allocating all the goods up to some tier k , and we will need to see how to allocate the three items of tier $k + 1$. We will denote from now on the three items of tier $k + 1$ by a, b, c .

Let E_G be the envy graph of the allocation that has resulted from the induction hypothesis for the items of the first k tiers. We can assume that we can maintain E_G from tier to tier as a DAG. If it is not, we can always remove all the envy cycles prior to continuing with the next tier, by running the decycling step (line 5) of the ECE algorithm. Hence, E_G has at least one source. We discern three cases based on the number of sources in E_G , and discuss them in order of difficulty.

Case 1: E_G has at least three source agents.

This is the easiest case since we have three items and we can pick three sources (i.e., unenvied agents) and just do a matching. The EFX property is maintained.

On a high level, both remaining cases work as follows: the agents closest (in the sense of topological distance) to the sources are possible new sources. Therefore, if our current sources outvalue them or maybe get their bundles via some envy cycle elimination, we can allocate the remaining items. Otherwise, some current source will receive more than one items without violating the EFX property. We introduce also some extra notation. We will often refer to agents based on their level when we view E_G with the following topological ordering: sources are at level 0, the agents envied by some source and with no envy within them at level 1, and so on (at each level, incoming edges come only from previous levels). Let also (A_1, \dots, A_n) be the current EFX allocation.

Case 2: E_G has one source agent s_1 .

Let o_1, o_2, \dots, o_ℓ be the agents of level 1 ordered based on s_1 's valuation: $v_{s_1}(A_{o_1}) \leq v_{s_1}(A_{o_2}) \leq \dots \leq v_{s_1}(A_{o_\ell})$.

• **Subcase 2a:** s_1 can receive multiple items without breaking EFX. If s_1 can receive all three goods of the tier without violating the EFX property we are done. If not, but she still can receive two goods, say a and b , we allocate them to her. It remains to allocate c . If $v_{s_1}(A_{s_1} \cup a \cup b) \geq v_{s_1}(A_{o_1})$, we allocate c to o_1 and complete the inductive step. Indeed, note that c is the least valuable item of the bundle that o_1 has now. Since s_1 was not envying o_1 after

she received a and b , the EFX property will not be violated by giving c to o_1 . There is no other pair of agents that we need to check since no one else is allocated any items. Suppose now that $v_{s_1}(A_{s_1} \cup a \cup b) < v_{s_1}(A_{o_1})$. We also know that since s_1 could not receive all 3 items, some agent, say x , must envy her. The fact that s_1 was the single source of E_G means that x is reachable from s_1 via an envy path. Therefore, the allocation of a and b to s_1 has created an envy cycle $s_1 \rightarrow o_i \rightarrow \dots \rightarrow x \rightarrow s_1$, for some agent o_i of level 1. After decycling the graph (using line 5 of the ECE algorithm), s_1 will be in possession of the bundle A_{o_i} . Since previously she was the only one envying the bundle, we can now allocate c to her without disrupting EFX.

• **Subcase 2b:** s_1 cannot receive multiple items.

If allocating 2 items is problematic for the EFX property, we deduce that after giving, say a , to s_1 , some agent x becomes envious of her. Firstly, we will identify possible new sources. Those are the o_i agents, and more specifically o_1 and o_2 , and agents envied only by o_1 (and maybe s_1), which we denote by t_1, t_2, \dots , and so on. The nodes of interest are shown in Figure 1.




Figure 1: Subcase 2b

Similarly to the previous case, if $v_{s_1}(A_{s_1} \cup a) \geq v_{s_1}(A_{o_2})$, we allocate one item to both o_1 and o_2 and we are done. Otherwise, we continue in the same spirit as before. Suppose first that x is reachable from o_r , for some $r \geq 2$. Then, given that $v_{s_1}(A_{s_1} \cup a) < v_{s_1}(A_{o_2}) \leq v_{s_1}(A_{o_r})$, an envy cycle $s_1 \rightarrow o_r \rightarrow \dots \rightarrow x \rightarrow s_1$ is created. After decycling it, we allocate one item to o_1 and one to the current owner of o_2 (it could be either o_2 or s_1), and we are done. Suppose now that $r = 1$. We have that x could be some agent only reachable from o_1 or she could be o_1 herself, and we need to look at these two further cases separately.

When $r = 1$, and x can be some agent other than o_1 , the role of the t_i nodes becomes more clear. So far, the possible new sources were always o_1 and o_2 . Now they are o_1 and some node t_i . To proceed, note that there may not be a path from s_1 to x after allocating item a to s_1 , but we will reallocate the bundles as if there was; checking that the EFX property is maintained is easy. Also, we pick x as the agent furthest away from s_1 . The image looks as follows:




Figure 2: Subcase 2b with $r = 1$ and $x \neq o_1$

Now s_1 with her new bundle is again a source (single one if x is not a source) and if any node other than x is envious of $A_{o_1} \cup b$ or $A_{o_1} \cup c$, the next source will be either o_1 (owning A_{t_i}) or $o_i, i \geq 2$ and we are done. The same applies if s_1 can stop envying some node t_i after she receives a good due to t_i becoming the final source or if s_i will receive A_{t_i} after some envy cycle elimination. If neither is true and s_1 cannot receive both of the remaining items without violating the EFX property, x must be a source and some agent reachable only from her envies s_1 after she receives a good. In this scenario, if one of the two matchings between the two sources and the two items produce an EFX allocation, we have completed this case. Otherwise, there is a cycle containing both sources and nodes from one or both connected components (Lemma 4.4 guarantees that no agent between s_1 and x can strongly envy the other one) if we substitute a with b or c . Now, s_1 is in possession of some A_{t_i} and she can have the last item.

When $r = 1$, and x is o_1 , we have only one source and one possible new source. However, apart from o_1 , no other agent would strongly envy $A_{s_1} \cup a \cup b$ (or any other combination of A_{s_1} with a pair of goods from the given tier); otherwise we would be back to x being different than o_1 . Therefore, we will compensate the lack of possible sources by possibly adding two items to one bundle. We start by asking s_1 to choose between receiving her favorite item or o_1 's favorite, thus creating an envy cycle of size 2 and causing a swap. Note however, that if s_1 and o_1 have a different favorite item, then s_1 will always choose to swap since she may well get her favorite item right after, and Lemma 4.4 guarantees the optimality of the choice. In any case, and with a the favorite item of o_1 , the owner of A_{o_1} will be the new source. If she can get both of the remaining items, the proof is completed. Otherwise some agent envies $A_{o_1} \cup b$ or $A_{o_1} \cup c$. Since we have a single source, that envious agent is reachable so we ask our source to choose between her favorite item or the one that forms the envy cycle implied above. In either case, the new source will be eligible to receive the last item even if her bundle is $A_{s_1} \cup a$.

Case 3: E_G has two source agents, s_1 and s_2 .

Now, we have more sources than Case 2, but also a harder time identifying the possible third one to receive an item. To bypass this problem we partition the envy graph E_G in the following manner:

$$E_G = s_1 \cup s_2 \cup V_1 \cup V_2 \cup V_{12}$$

where V_1 (resp. V_2) is the set of nodes reachable *only* from s_1 (resp. s_2) via an envy path and V_{12} is the set of nodes reachable from both sources. Since E_G is a DAG, the same follows for the graphs induced by V_1, V_2 and V_{12} as well. If s'_1 is a source of the V_1 DAG we have that s_1 is the only agent envious of her; otherwise it would be reachable from s_2 thus contradicting the definition of the partition. Therefore, s'_1 is a possible new source substituting s_1 and, symmetrically, a source s'_2 of V_2 is a candidate substitution for s_2 . A source s'_{12} of V_{12} may be a possible replacement for both. Now, if s_1 can receive two items or one and simultaneously stop envying s'_1 , we easily allocate all the items of the tier. Therefore, we assume this is not the case and denote by e_1 the agent envious of s_1 , after receiving one item of the current tier, and respectively, e_2 for s_2 . We will do some case analysis based on which connected component, e_1 and e_2 belong to. Since they may not be unique, we define T_1 to be the

set of agents envying s_1 (and respectively T_2 for s_2). Fortunately, due to symmetry, the number of different subcases is small.

•Subcase 3a: $T_1 \cap V_1 \neq \emptyset$ (or resp. $T_2 \cap V_2 \neq \emptyset$).

Let $e_1 \in T_1 \cap V_1$. In that case e_1 is reachable from s_1 and we have an envy cycle. After applying a decycling step, s_1 will own A_{s_1}' , a bundle of which she previously was the only envious agent. Therefore, we can allocate one more item to s_1 and the other to s_2 .

•Subcase 3b: $T_1 \cap (s_2 \cup V_2) \neq \emptyset$ (or resp. $T_2 \cap (s_1 \cup V_1) \neq \emptyset$).

Let $e_1 \in s_2 \cap V_2$. Now, e_1 is not reachable from s_1 . However, the same must apply to s_2 and e_2 , otherwise we are back to subcase 3a. In other words, $e_2 \in E_G \setminus V_2$. This means that, after allocating two of the three items of the tier, a cycle in the form $s_1 \rightarrow \dots \rightarrow e_2 \rightarrow s_2 \rightarrow \dots \rightarrow e_1 \rightarrow s_1$, is created. Once we decycle the graph, checking that the EFX property is maintained is trivial. Moreover, there will be again two sources. If one of them does not own one of the two bundles previously owned by the sources, we can allocate the final item. In the unique case where $e_1 = s_2$ and $s_1 = e_2$ were the only choices for envious agents, we can allocate the last item to any of them. To see why, assume that s_1 owns $A_{s_2} \cup a \cup c$. Agent s_2 cannot strongly envy her and if some other agent does so, it means that $e_1 = s_2$ was not the only choice.

After careful inspection, subcases 3a and 3b cover for 8 out of the 9 possible scenarios. It remains to check the case where both envious agents are in V_{12} .

•Subcase 3c: $T_1 \cap V_{12} \neq \emptyset$ and $T_2 \cap V_{12} \neq \emptyset$.

Let $e_1, e_2 \in V_{12}$. Note that since e_1 is reachable from s_1 , if the first node in the path between them belongs to V_1 , the argument of subcase 3a applies. Therefore, the first envy edge in the path is from s_1 to some source of V_{12} . If e_1 and e_2 belong to different weakly connected components of V_{12} , we are done since one of the owners (s_1 or s_2) of some $A_{s_{12}}'$ will get the last item. Assuming the contrary, the image is given in Figure 3.




Figure 3: Subcase 3c

We now select the source, say s_1 , and the item, say a to allocate, based on e_1 's preferences, who we pick to be in maximum topological distance (this can be achieved by checking all possible cases of allocating one item from the tier to s_1). After reallocating the bundles along the cycle (if s_1 stops envying s_{12}' , she becomes a possible new source similar to case 2 and we are done accordingly), the situation now is depicted in Figure 4.

The way we picked e_1 , we have that e_1 and every possible node reachable from her cannot strongly envy $A_{s_2} \cup b \cup c$; otherwise the strongly envious agent would have been envious before and in a greater topological distance³. Therefore, either s_2 will get both

³To be precise, e_1 could have been envious of $A_{s_2} \cup b$ but then we restart the tier allocation working with s_2 .




Figure 4: Subcase 3c continued

items or there will be an envious agent she can reach. In the end, whoever owns $A_{s_{12}}'$ will get the last item and the proof is completed. \square

We close this section, by providing one more positive result, but under an assumption in the opposite direction of Theorem 4.3, in the same spirit as Corollary 3.6 in Section 3.

THEOREM 4.5 (DISTINCT TOP TIERS). *Assuming that each agent has a different favorite tier T_i of size $\lfloor m/n \rfloor$, then an EFX allocation exists.*

PROOF. We show how to construct the allocation. Let $m = kn + r, 0 \leq r < n$, and let each T_i be of size $\lfloor m/n \rfloor = k$. We allocate each T_i to the corresponding agent, and to r of them one of the remaining items arbitrarily. If agent i 's envy towards agent j violates the EFX property, it means that i envies a set of cardinality at most k , which contradicts the definition of T_i . Thus, the allocation is EFX. \square

Note that the above result holds even for general (monotone) valuations.

5 CONCLUSIONS

We have presented a unifying framework for obtaining approximate EFX allocations. This framework allowed us to reprove and extend some existing results of the literature and at the same time obtain improved approximations for families of instances where agents agree only on their perception of what are the most valuable items. For instances with a relatively large number of goods, this imposes quite minimal assumptions on the structure of the instance. Finally, we have also established the existence of exact EFX allocations by considering assumptions on how the agents rank the whole set of items w.r.t their value, extending the existence result of [21], that holds under the common ranking assumption.

The most intriguing question of whether exact EFX allocations exist for arbitrary additive valuations still remains open. Along with this, identifying the best possible approximation guarantee that we can have in polynomial time is also unresolved. Overall, we view our work as adding a positive note on these directions, providing evidence that improved approximations and existence results on certain families of instances can still be attainable.

ACKNOWLEDGMENTS

This research was supported by the Hellenic Foundation for Research and Innovation, by the “1st Call for HFRI Research Projects to support faculty members and researchers and the procurement

of high-cost research equipment” (Project Num. HFRI-FM17-3512). Part of this work was carried out while the second author was a M.Sc. student at the National Technical University of Athens (NTUA) and we acknowledge the use of facilities and resources of NTUA.

REFERENCES

- [1] Martin Aleksandrov and Toby Walsh. 2020. Two Algorithms for Additive and Fair Division of Mixed Manna. In *KI 2020: Advances in Artificial Intelligence: Proceedings of the 43rd German Conference on AI, Bamberg, Germany, September 21–25, 2020*. Springer-Verlag, Berlin, Heidelberg, 3–17.
- [2] Noga Alon and Michael Krivelevich. 2021. Divisible subdivisions. *Journal of Graph Theory* 98, 4 (2021), 623–629.
- [3] Georgios Amanatidis, Georgios Birmpas, Aris Filos-Ratsikas, Alexandros Hollender, and Alexandros A Voudouris. 2021. Maximum Nash welfare and other stories about EFX. *Theoretical Computer Science* 863 (2021), 69–85.
- [4] Georgios Amanatidis, Georgios Birmpas, Aris Filos-Ratsikas, and Alexandros A. Voudouris. 2022. Fair Division of Indivisible Goods: A Survey. In *Proceedings of the Thirty-First International Joint Conference on Artificial Intelligence, IJCAI-22*. International Joint Conferences on Artificial Intelligence Organization, 5385–5393. Survey Track.
- [5] Georgios Amanatidis, Evangelos Markakis, and Apostolos Ntokos. 2020. Multiple birds with one stone: Beating $1/2$ for EFX and GMMS via envy cycle elimination. *Theoretical Computer Science* 841 (2020), 94–109.
- [6] Haris Aziz, Bo Li, Herve Moulin, and Xiaowei Wu. 2022. Algorithmic fair allocation of indivisible items: A survey and new questions. *SIGecom Exch.* 20, 1 (2022).
- [7] Moshe Babaioff, Tomer Ezra, and Uriel Feige. 2021. Fair and Truthful Mechanisms for Dichotomous Valuations. In *Thirty-Fifth AAAI Conference on Artificial Intelligence, AAAI 2021, Virtual Event, February 2-9, 2021*. AAAI Press, 5119–5126.
- [8] Siddharth Barman, Arpita Biswas, Sanath Kumar Krishna Murthy, and Yadati Narahari. 2018. Groupwise Maximin Fair Allocation of Indivisible Goods. In *Proceedings of the Thirty-Second AAAI Conference on Artificial Intelligence, AAAI 2018, New Orleans, Louisiana, USA, February 2-7, 2018*. AAAI Press, 917–924.
- [9] Benjamin Aram Berendsohn, Simona Boyadzhiyska, and László Kozma. 2022. Fixed-Point Cycles and Approximate EFX Allocations. In *47th International Symposium on Mathematical Foundations of Computer Science (MFCS 2022)*, Vol. 241. 17:1–17:13.
- [10] Ben Berger, Avi Cohen, Michal Feldman, and Amos Fiat. 2022. Almost Full EFX Exists for Four Agents. In *Thirty-Sixth AAAI Conference on Artificial Intelligence, AAAI 2022, Virtual Event, February 22 - March 1, 2022*. AAAI Press, 4826–4833.
- [11] Eric Budish. 2011. The combinatorial assignment problem: Approximate competitive equilibrium from equal incomes. *Journal of Political Economy* 119, 6 (2011), 1061–1103.
- [12] Ioannis Caragiannis, Nick Gravin, and Xin Huang. 2019. Envy-Freeness Up to Any Item with High Nash Welfare: The Virtue of Donating Items. In *Proceedings of the 2019 ACM Conference on Economics and Computation, EC 2019, Phoenix, AZ, USA, June 24-28, 2019*, Anna Karlin, Nicole Immorlica, and Ramesh Johari (Eds.). ACM, 527–545.
- [13] Ioannis Caragiannis, David Kurokawa, Hervé Moulin, Ariel D. Procaccia, Nisarg Shah, and Junxing Wang. 2016. The Unreasonable Fairness of Maximum Nash Welfare. In *Proceedings of the 2016 ACM Conference on Economics and Computation, EC '16, Maastricht, The Netherlands, July 24-28, 2016*, Vincent Conitzer, Dirk Bergemann, and Yiling Chen (Eds.). ACM, 305–322.
- [14] Hau Chan, Jing Chen, Bo Li, and Xiaowei Wu. 2019. Maximin-Aware Allocations of Indivisible Goods. In *Proceedings of the 28th International Joint Conference on Artificial Intelligence (Macao, China) (IJCAI'19)*. AAAI Press, 137–143.
- [15] Bhaskar Ray Chaudhury, Jugal Garg, and Kurt Mehlhorn. 2020. EFX Exists for Three Agents. In *EC '20: The 21st ACM Conference on Economics and Computation, Virtual Event, Hungary, July 13-17, 2020*, Péter Biró, Jason D. Hartline, Michael Ostrovsky, and Ariel D. Procaccia (Eds.). ACM, 1–19.
- [16] Bhaskar Ray Chaudhury, Jugal Garg, Kurt Mehlhorn, Ruta Mehta, and Pranabendu Misra. 2021. Improving EFX Guarantees through Rainbow Cycle Number. In *EC '21: The 22nd ACM Conference on Economics and Computation, Budapest, Hungary, July 18-23, 2021*, Péter Biró, Shuchi Chawla, and Federico Echenique (Eds.). ACM, 310–311.
- [17] Bhaskar Ray Chaudhury, Telikepalli Kavitha, Kurt Mehlhorn, and Alkmini Sgouritsa. 2021. A little charity guarantees almost envy-freeness. *SIAM J. Comput.* 50, 4 (2021), 1336–1358.
- [18] Richard J Lipton, Evangelos Markakis, Elchanan Mossel, and Amin Saberi. 2004. On approximately fair allocations of indivisible goods. In *Proceedings of the 5th ACM Conference on Electronic Commerce*. 125–131.
- [19] Ryoga Mahara. 2021. Extension of Additive Valuations to General Valuations on the Existence of EFX. In *29th Annual European Symposium on Algorithms, ESA 2021, September 6-8, 2021, Lisbon, Portugal (Virtual Conference)*, Vol. 204. Schloss Dagstuhl - Leibniz-Zentrum für Informatik, 66:1–66:15.
- [20] Tamás Mészáros and Raphael Steiner. 2021. Zero sum cycles in complete digraphs. *European Journal of Combinatorics* 98 (2021), 103399.
- [21] Benjamin Plaut and Tim Roughgarden. 2018. Almost Envy-Freeness with General Valuations. In *Proceedings of the Twenty-Ninth Annual ACM-SIAM Symposium on Discrete Algorithms, SODA 2018, New Orleans, LA, USA, January 7-10, 2018*. SIAM, 2584–2603.
- [22] Ariel D Procaccia. 2020. Technical perspective: An answer to fair division’s most enigmatic question. *Commun. ACM* 63, 4 (2020), 118–118.